



Europäisches Patentamt
European Patent Office
Office européen des brevets



Publication number

0 519 144 A1

EUROPEAN PATENT APPLICATION

Application number **91500066.5**

Int. Cl. **A61K 9 54, A61K 31 44**

Date of filing: **21.06.91**

Date of publication of application:
23.12.92 Bulletin 92-52

Designated Contracting States:
AT BE CH DE DK ES FR GB GR IT LI LU NL SE

Applicant: **ILSAN ILAC VE HAMMADELERI
SANAYI A.S.**
Kore Sehitleri Cad. No. 40
T-80300 Zincirlikuyu, Istanbul(TR)

Inventor: **Tanberk, Ergin**
Kalamis Fener Cd. Yelken Ap. 86/39
Istanbul(TR)
Inventor: **Memecan, Melih**
Bagdat Cd. Tanyeri, Ap. 421/6
Suadiye-Istanbul(TR)
Inventor: **Güngör, Ülkü**
Hülya Sk. 19/1
06700 Gaziosmanpasa, Istanbul(TR)
Inventor: **Gül, Handan**
Semsettin Günaltay Cd. Safak
SK 1/7 Erenköy-Istanbul(TR)
Inventor: **Moralioğlu, Mehmet**
Beylerbeyi Cd. No. 8 Kuzguncuk
Istanbul(TR)

Representative: **Alonso Langle, Emilio**
Naciones, 12, 3 piso B
E-28006 Madrid(ES)

New galenic process for omeprazole containing pellets.

A production method for pellets containing Omeprazole performed with an inert core based on saccharose, starch and gypsol, said core covered with the micronized and sieved active substance which is in a buffered dispersion, being added with an anionic surface active agent, in order to finally receive an enteric covering in a fluidized bed with HPMC phylate, diethyl phylate, acetone and ethyl alcohol being afterwards dried to obtain a water content of less than 1%, sieved, weighted and encapsulated.

EP 0 519 144 A1

A new production method for enteric coated pellets containing Omeprazole which is coated on an inert core in the form of pH buffered dispersion phase


Field of invention:

The present invention is related to a new production method of a stable preparation containing Omeprazole for oral administration

Description of invention:

Omeprazole is a potent inhibitor of gastric acid secretion. Omeprazole is a pyridine benzimidazole derivative with the following total formula $C_{17}H_{19}N_3O_3S$ and a molecular weight of 354.4

Structure formula:



Omeprazole (1) is readily degradable in acidic environments, pH less than 7. Stability profile of 1 is almost the same in solid phase, and is also affected by moisture and organic solvents. The reason why oral dosage forms of Omeprazole have to be formulated as enteric coated dosage form is to protect it from acidic gastric juice. (Ref US Patent 4,786,505 Nov. 22, 1988) Enteric coated pellets of Omeprazole should reasonably withstand the gastric juice, but it must be dissolved rapidly in the small intestine to obtain a reasonable bioavailability of course, the effect. Several coating methods and materials have been used to comply the above mentioned prerequisites of Omeprazole (UK Patent GB 21 89 698).

In this patent application a new process for the preparation of orally used hard gelatin capsule containing enteric coated Omeprazole pellets is described.

This new enteric coated pellet production process consists of the following four steps

I. Preparation of inert core by conventional pan coating method

II Active coating by using rotary type fluidized bed

III Protective coating by using rotary type fluidized bed

IV Enteric coating by using rotary type fluidized bed

I. The contents of inert core are as following

Saccharose **65-85%**

Corn Starch **15-25%**

Glucose **2-6%**

Particle size distribution range is arranged to be 90% within 0.71 mm. to 0.85 mm. (in diameter) by suitable sieving. These inert pellets can also be obtained commercially.

II To obtain a rapid dispersion active (Omeprazole) substance is micronized and sieved through 150 mesh sieves

The active substance sieved is dispersed in a buffered aqueous dispersion, at pH 7.1 ± 0.1 , of a macromolecular binding agent. A anionic surface active agent (Sodium Lauryl Sulphate) is added to the aqueous phase to increase the wettability and smooth dispersion of Omeprazole.

The aqueous dispersion is sprayed on to the inert pellets in the cabin of a rotary type fluidized bed machine under appropriate process parameters.

The content of active dispersion phase for one dosage (hard capsule) is as following

Omeprazole **20 mg.**

Hydroxypropyl methyl cellulose **5.3 mg.**

Lactose anhydrous **8 mg.**

L-H₂ dry, pre-gelatinized 6 mg.
Sodium lauryl sulphate 0.5mg.
Disodium hydrogen phosphate dihydrate 0.8 mg.
Water 0.21 ml.

III Active coated pellets have to be protected from the organic solvent which is normally used to dispense or dissolve the enteric coating material.

The thickness of this layer is experimentally determined to obtain an optimal protection during the enteric coating processes and the necessary amount of coating material per capsule (one disc) for above mentioned active coated pellets (% 100 passes through 15 mesh sieves) has been determined as following:

HPMC 3.4 mg.
Water 0.06 ml.

Aqueous molecular dispersion of HPMC is sprayed under appropriate process parameters on to the active coated pellets in the cabin of a rotary type fluidized bed machine and dried until the water content of the pellets is less than 1% when determined by the toluen distillation method described in USP XXII.

IV Enteric coating is performed in the same machine using appropriate process parameters by spraying the following coating solution:

HPMC phthalate 24 mg.
Diethyl phthalate 0.13 mg.
Aceton 225 mg.(... ml)
Ethyl alcohol 96 mg.(... ml)

Finished product is sieved through 15 mesh and 20 mesh sieves. Pellets which pass through 15 mesh and are retained on 20 mesh sieves, are filled to gelatin capsules. Capsule contents are 233 mg \pm 10%.

II. Protective coating phase

Machine: Gatt GPCG 60 with GRG 30
Active coated pellets: 25 kg \pm 0.4
Spray nozzle: 2 x 1.8 mm
Nozzle position: Tangential
Filter type: PB (2% of cotton wad)
Sieve type: Rotor Disc.
Inlet air Temperature: 50-60°C
Inlet Air Rate: 700-800 m³/h
Pumping rate: 20 rpm
Sieve width: 2 mm
Rotor Speed: 300 rpm

III Enteric Coating Phase

Machine: Gatt GPCG 60 with GRG 30
Spray nozzle: 2 x 1.8 mm
Nozzle position: Tangential
Filter type: PB2
Sieve type: Rotor Disc
Air inlet temperature: 40-50°C

4 capsules per

Claims

capsule, characterized in that the process is performed to obtain an inert core covered with the micronized active substance to be administered, coated and dried after the adjusting of its granulometry, being in this way ready to be prepared as capsules.

- 5 2. A production method of pellets containing Omeprazole according to the previous claim, characterized in that the inert nucleus includes a 65-85% of saccharose, 15-25% of starch and 2-66% of glucose, said nucleus being obtained by conventional means and being sieved through a mesh within 0.71 and 0.85 mm.
- 10 3. A production method according to the first claim, characterized in that the active substance is micronized and sieved through a 150 mesh to be dispersed in a buffered aqueous dispersion at pH 7.1 \pm 1% with the addition of an anionic surface active agent, as for example sodium lauryl sulphate.
- 15 4. A production method according to the first claim, characterized in that the active substance comprising Omeprazole, hydroxyl methyl cellulose, lactose anhydrous, L-hydroxy polyethylcellulose, sodium lauryl sulphate, disodium hydrogen phosphate dihydrate and water is sprayed onto the inert pellets in the cabin of a rotary type fluidized bed machine.
- 20 5. A production method according to the first claim, characterized in that the enteric cover is produced in a fluidized bed with HPMC phytalate, diethyl phytalate, acetone and ethyl alcohol being afterwards dried to obtain a water content of less than 1%.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

EP 91 50 0066

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
Y, D	GB-A-2 189 698 (AKTIEBOLAGET HASSLE) * page 1, line 6 - line 8 * * page 2, line 25 - page 3, line 37 * * page 5 - page 6; example 2 * * page 6 - page 7; example 5 *	1, 3-5	A61K9/54 A61K31/44
Y	DE-A-3 901 151 (HOECHST A.G.) * page 13; example 11 *	1, 3-5	
A	EP-A-0 256 933 (ETHYPHARM) * page 2, line 61 - page 3, line 4 *	2	
A	EP-A-0 237 506 (LEJUS MEDICAL AKTIEBOLAG) * page 2, line 37 - line 43 * * page 3, line 13 - line 15 * * page 4; example 1 *	1-5	
			TECHNICAL FIELDS SEARCHED (Int. Cl.5)
			A61K

The present search report has been drawn up for all claims

Place of search

Date of completion of the search

Examiner

EPO FORM 1

- particularly relevant if taken alone
- particularly relevant if combined with another document of the same category
- A technological background
- () non-written disclosure
- P intermediate document

- part of patent document, but published after the filing date
- () document cited in the application
- () document cited for other reasons
- () member of the same patent family, corresponding document

